

Mathematical Logic

Introduction on Modal Logics

Luciano Serafini

FBK-irst, Trento, Italy

28 November 2013

TestBooks and Readings

- *Hughes, G. E., and M.J. Cresswell (1996) A New Introduction to Modal Logic. Routledge.*
Introductory textbook. Provides an historic perspective and a lot of explanations.
- *Blackburn, Patrick, Maarten de Rijke, and Yde Venema (2001) Modal Logic. Cambridge Univ. Press*
More modern approach. It focuses on the formalisation of frames and structures.
- *Chellas, B. F. (1980) Modal Logic: An Introduction. Cambridge Univ. Press*
The focus is on the axiomatization of the modal operators \Box and \Diamond .

Origins of modal logics

- (Modern modal logic) Developed in the early twentieth century,

Origins of modal logics

- (Modern modal logic) Developed in the early twentieth century,
- **Clarence Irving Lewis**, thought that Russell's description of the truth-functional conditional operator as **material implication** (i.e, $A \supset B$ is true if either A is false or B is true) was misleading.
He suggested to define a new form of implication called **strict implication** which literally can be seen like this

it is not possible that A is true and B is false (1)

Origins of modal logics

- (Modern modal logic) Developed in the early twentieth century,
- **Clarence Irving Lewis**, thought that Russell's description of the truth-functional conditional operator as **material implication** (i.e, $A \supset B$ is true if either A is false or B is true) was misleading.
He suggested to define a new form of implication called **strict implication** which literally can be seen like this

it is not possible that A is true and B is false (1)

- He proposed to formalise (1) as

$$\neg \diamond (A \wedge \neg B) \quad (2)$$

Origins of modal logics - ctn'd

The novelties in $\neg\Diamond(A \wedge \neg B)$ are:

- A **modal operator** \Diamond for representing the fact that a statement is *possibly true* (*impossible, necessary, ...*)
- The fact that the truth value of $\neg\Diamond(A \wedge \neg B)$ is **not a function** of the truth values of A and B as it refers to a set of *possible situations* (lately called possible worlds) in which you have to consider the truth of A and B .

What is Modality?

- A **modality** is an expression that is used to *qualify* the truth of a judgement (or, in other words, an operator that expresses a “mode” in which a proposition is true)

What is Modality?

- A **modality** is an expression that is used to *qualify* the truth of a judgement (or, in other words, an operator that expresses a “mode” in which a proposition is true)
- It can be seen as an operator that takes a proposition and returns a more complex proposition.

What is Modality?

- A **modality** is an expression that is used to *qualify* the truth of a judgement (or, in other words, an operator that expresses a “mode” in which a proposition is true)
- It can be seen as an operator that takes a proposition and returns a more complex proposition.

Example

Proposition	Modal Expression
John drives a Ferrari	John <i>is able to</i> drive a Ferrari
Everybody pays taxes	It is <i>obligatory</i> that everybody pays taxes

- Modalities are expressed in natural language through **modal verbs** such as *can/could*, *may/might*, *must*, *will/would*, and *shall/should*.

What is Modality?

- In logic modalities are formalized using an operator such as \Box (\Diamond) that can be applied to a formula ϕ to obtain another formula $\Box\phi$ ($\Diamond\phi$).

What is Modality?

- In logic modalities are formalized using an operator such as \Box (\Diamond) that can be applied to a formula ϕ to obtain another formula $\Box\phi$ ($\Diamond\phi$).
- The truth value of $\Box\phi$ is not a function of the truth value of ϕ .

What is Modality?

- In logic modalities are formalized using an operator such as \Box (\Diamond) that can be applied to a formula ϕ to obtain another formula $\Box\phi$ ($\Diamond\phi$).
- The truth value of $\Box\phi$ is not a function of the truth value of ϕ .

Example

- The fact that John is able to drive a Ferrari may be true independently from the fact that John is actually driving a Ferrari.
- The fact that it is *obligatory* that everybody pays taxes is typically true, and this is independent from the fact that everybody actually pays taxes.

What is Modality?

- In logic modalities are formalized using an operator such as \Box (\Diamond) that can be applied to a formula ϕ to obtain another formula $\Box\phi$ ($\Diamond\phi$).
- The truth value of $\Box\phi$ is not a function of the truth value of ϕ .

Example

- The fact that John is able to drive a Ferrari may be true independently from the fact that John is actually driving a Ferrari.
- The fact that it is *obligatory* that everybody pays taxes is typically true, and this is independent from the fact that everybody actually pays taxes.

Note: \neg is not a modal operator since the truth value of $\neg\phi$ is a function of the truth value of ϕ .

Modalities

- A **modality** is an expression that is used to *qualify* the truth of a judgement.

Modalities

- A **modality** is an expression that is used to *qualify* the truth of a judgement.
- Historically, the first modalities formalized with modal logic were the so called **alethic modalities** i.e.,
 - 1 it is **possible** that a certain proposition holds, usually denoted with $\diamond\phi$
 - 2 it is **necessary** that a certain proposition holds, usually denoted with $\Box\phi$

Modalities

- A **modality** is an expression that is used to *qualify* the truth of a judgement.
- Historically, the first modalities formalized with modal logic were the so called **alethic modalities** i.e.,
 - 1 it is **possible** that a certain proposition holds, usually denoted with $\Diamond\phi$
 - 2 it is **necessary** that a certain proposition holds, usually denoted with $\Box\phi$
- Afterwards a number of modal logics for different “*qualifications*” have been studied. The most common are...

Modalities

Modality	Symbol	Expression Symbolised
Alethic	$\Box\phi$	it is <i>necessary</i> that ϕ
	$\Diamond\phi$	it is <i>possible</i> that ϕ
Deontic	$O\phi$	it is <i>obligatory</i> that ϕ
	$P\phi$	it is <i>permitted</i> that ϕ
	$F\phi$	it is <i>forbidden</i> that ϕ
Temporal	$G\phi$	it will <i>always</i> be the case that ϕ
	$F\phi$	it will <i>eventually</i> be the case that ϕ
Epistemic	$B_a\phi$	agent <i>a</i> <i>believes</i> that ϕ
	$K_a\phi$	agent <i>a</i> <i>knows</i> that ϕ
Contextual	$ist(c, \phi)$	ϕ is <i>true in the context</i> c
Dynamic	$[\alpha]\phi$	ϕ must be true after the execution of program α
	$\langle\alpha\rangle\phi$	ϕ can be true after the execution of program α
Computational	$AX\phi$	ϕ is true for every immediate successor state
	$AG\phi$	ϕ is true for every successor state
	$AF\phi$	ϕ will eventually be true in all the possible evolutions
	$A\phi U\theta$	ϕ is true until θ becomes true
	$EX\phi$	ϕ is true in at least one immediate successor state

Modal logics & relational structures

- Historically, modal logics were developed in order to formalise the different modalities that qualify the truth of a formula;
- Modern modal logics have a different goal. They are motivated by the study of relational structures.

Modal logics & relational structures

- Historically, modal logics were developed in order to formalise the different modalities that qualify the truth of a formula;
- Modern modal logics have a different goal. They are motivated by the study of relational structures.

Definition (Relational structure)

A **relational structure** is a tuple

$$\langle W, R_{a_1}, \dots, R_{a_n} \rangle$$

where $R_{a_i} \subseteq W \times \dots \times W$

- each $w \in W$ is called, **point** (world, state, time instant, situation, ...)
- each R_{a_i} is called **accessibility relation** (or simply relation)

Alternative notation $\langle W, R_a \rangle_{a \in A}$

The importance of relational structures

- In Computer Science, Artificial Intelligence and Knowledge Representation there are many examples of relational structures:
 - Graphs and labelled graphs;
 - Ontologies;
 - Finite state machines;
 - Computation paths; . . .
- Modal logics allow us to predicate on properties of relational structures.
 - Loop detection;
 - Reachability of a (set of) node(s);
 - Properties of a relation such as Transitivity, Reflexivity,

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

¹Antisymmetry follows.

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

- Strict linear order

$\langle W, < \rangle$ (SPO) + for each $v \neq w \in W$, $v < w$ or $w < v$

¹Antisymmetry follows.

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

- Strict linear order

$\langle W, < \rangle$ (SPO) + for each $v \neq w \in W$, $v < w$ or $w < v$

- Partial order (PO)

$\langle W, \leq \rangle$ \leq is transitive, reflexive, and antisymmetric

¹Antisymmetry follows.

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

- Strict linear order

$\langle W, < \rangle$ (SPO) + for each $v \neq w \in W$, $v < w$ or $w < v$

- Partial order (PO)

$\langle W, \leq \rangle$ \leq is transitive, reflexive, and antisymmetric

- Linear order

$\langle W, \leq \rangle$ (PO) + for each $v, w \in W$, $v \leq w$ or $w \leq v$

¹Antisymmetry follows.

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

- Strict linear order

$\langle W, < \rangle$ (SPO) + for each $v \neq w \in W$, $v < w$ or $w < v$

- Partial order (PO)

$\langle W, \leq \rangle$ \leq is transitive, reflexive, and antisymmetric

- Linear order

$\langle W, \leq \rangle$ (PO) + for each $v, w \in W$, $v \leq w$ or $w \leq v$

- Labeled transition system (LTS)

$\langle W, R_a \rangle_{a \in A}$ and $R_a \subseteq W \times W$

¹Antisymmetry follows.

Examples of Relational structures

- Strict partial order (SPO)

$\langle W, < \rangle$ $<$ is transitive and irreflexive¹

- Strict linear order

$\langle W, < \rangle$ (SPO) + for each $v \neq w \in W$, $v < w$ or $w < v$

- Partial order (PO)

$\langle W, \leq \rangle$ \leq is transitive, reflexive, and antisymmetric

- Linear order

$\langle W, \leq \rangle$ (PO) + for each $v, w \in W$, $v \leq w$ or $w \leq v$

- Labeled transition system (LTS)


$\langle W, R_a \rangle_{a \in A}$ and $R_a \subseteq W \times W$

- XML document

$\langle W, R_l \rangle_{l \in L}$, W contains the components of an XML document
and L is the set of labels that appear in the document

¹Antisymmetry follows.

XML document as a relational structure



Relational structures in FOL

- Relational structures can be investigated in FOL;

Relational structures in FOL

- Relational structures can be investigated in FOL;
- The language must contain at least a binary relation R , and we can formalise the properties of a relational structure using formulae such as
 - $\forall xR(x, x)$ (R is reflexive)
 - $\forall x\exists yR(x, y)$ (R is serial)
 - $\forall xy(R(x, y) \supset R(y, x))$ (R is symmetric)
 - ...

Relational structures in FOL

- Relational structures can be investigated in FOL;
- The language must contain at least a binary relation R , and we can formalise the properties of a relational structure using formulae such as
 - $\forall xR(x, x)$ (R is reflexive)
 - $\forall x\exists yR(x, y)$ (R is serial)
 - $\forall xy(R(x, y) \supset R(y, x))$ (R is symmetric)
 - ...
- So, why do we need modal logics?

Relational structures in first order and modal logic

- In First Order Logic we describes a relational structure from an external point of view, (and our description is not relative to a particular point).

Relational structures in first order and modal logic



- In First Order Logic we describes a relational structure from an external point of view, (and our description is not relative to a particular point).
- Modal logics describe relational structures from an **internal point of view**, rather than from the top perspective

Relational structures in first order and modal logic

- In First Order Logic we describes a relational structure from an external point of view, (and our description is not relative to a particular point).
- Modal logics describe relational structures from an **internal point of view**, rather than from the top perspective
- A formula has a meaning **in a point** $w \in W$ of a structure


Relational structures in first order and modal logic

In first order logic, relational structures are described **from the top point of view**. each point of W and the relation R can be named.



Relational structures in first order and modal logic

In modal logics, relational structures are described from an **internal perspective** there is no way to mention points of W and the relation R .



An example: seriality

Let us assume to have a strict linear serial order.

- In first order logic I can observe an infinite sequence of points;
- in modal logic I know that I can always move to the next point (that is, from the point where I am I can always see (and move to) a successor point).

The Language of a basic modal logic

If \mathcal{P} is a set of primitive proposition, the set of formulas of the basic modal logic is defined as follows:

- each $p \in \mathcal{P}$ is a formula (atomic formula);
- if A and B are formulas then $\neg A$, $A \wedge B$, $A \vee B$, $A \supset B$ and $A \equiv B$ are formulas
- if A is a formula $\Box A$ and $\Diamond A$ are formulas.

Intuitive interpretation of the basic modal logic

The formula $\Box\phi$ can be intuitively interpreted in many ways

- ϕ is necessarily true (classical modal logic)
- ϕ is known/believed to be true (epistemic logic)
- ϕ is provable in a theory (provability logic)
- ϕ will be always true (temporal logic)
- ...

In all these cases $\Diamond\phi$ is interpreted as $\neg\Box\neg\phi$.

In other words, $\Diamond\phi$, stands for $\neg\phi$ is not necessarily true, that is, ϕ is possibly true.

Semantics for the basic modal logic

A **basic frame** (or simply a frame) is an algebraic structure

$$\mathcal{F} = \langle W, R \rangle$$

where $R \subseteq W \times W$.

An **interpretation** \mathcal{I} (or assignment) of a modal language in a frame \mathcal{F} , is a function

$$\mathcal{I} : P \rightarrow 2^W$$

Intuitively $w \in \mathcal{I}(p)$ means that p is true in w , or that w is of type p .

A **model** \mathcal{M} is a pair $\langle \text{frame}, \text{interpretation} \rangle$. I.e.:

$$\mathcal{M} = \langle \mathcal{F}, \mathcal{I} \rangle$$

Satisfiability of modal formulas

Truth is relative to a world, so we define that relation of \models between a world in a model and a formula

$$\mathcal{M}, w \models p \text{ iff } w \in \mathcal{I}(p)$$

$$\mathcal{M}, w \models \phi \wedge \psi \text{ iff } \mathcal{M}, w \models \phi \text{ and } \mathcal{M}, w \models \psi$$

$$\mathcal{M}, w \models \phi \vee \psi \text{ iff } \mathcal{M}, w \models \phi \text{ or } \mathcal{M}, w \models \psi$$

$$\mathcal{M}, w \models \phi \supset \psi \text{ iff } \mathcal{M}, w \models \phi \implies \text{implies } \mathcal{M}, w \models \psi$$

$$\mathcal{M}, w \models \phi \equiv \psi \text{ iff } \mathcal{M}, w \models \phi \text{ iff } \mathcal{M}, w \models \psi$$

$$\mathcal{M}, w \models \neg\phi \text{ iff not } \mathcal{M}, w \models \phi$$


$$\mathcal{M}, w \models \Box\phi \text{ iff for all } w' \text{ s.t. } wRw', \mathcal{M}, w' \models \phi$$

$$\mathcal{M}, w \models \Diamond\phi \text{ iff there is a } w' \text{ s.t. } wRw' \text{ and } \mathcal{M}, w' \models \phi$$


ϕ is globally satisfied in a model \mathcal{M} , in symbols, $\mathcal{M} \models \phi$ if

$$\mathcal{M}, w \models \phi \text{ for all } w \in W$$


Satisfiability example



Satisfiability example



Satisfiability example



Validity relation on frames

A formula ϕ is **valid in a world w of a frame \mathcal{F}** , in symbols $\mathcal{F}, w \models \phi$ iff

$$\mathcal{M}, w \models \phi \text{ for all } \mathcal{I} \text{ with } \mathcal{M} = \langle \mathcal{F}, \mathcal{I} \rangle$$

A formula ϕ is **valid in a frame \mathcal{F}** , in symbols $\mathcal{F} \models \phi$ iff

$$\mathcal{F}, w \models \phi \text{ for all } w \in W$$

If C is a class of frames, then a formula ϕ is **valid in the class of frames C** , in symbols $\models_C \phi$ iff

$$\mathcal{F} \models \phi \text{ for all } \mathcal{F} \in C$$

A formula ϕ is **valid**, in symbols $\models \phi$ iff

$$\mathcal{F} \models \phi \text{ for all models frames } \mathcal{F}$$

Logical consequence

- ϕ is a **local logical consequence of Γ** , in symbols $\Gamma \models \phi$, if for every model $\mathcal{M} = \langle \mathcal{F}, \mathcal{I} \rangle$ and every point $w \in W$,

$$\mathcal{M}, w \models \Gamma \text{ implies that } \mathcal{M}, w \models \phi$$

- ϕ is a **local logical consequence of Γ in a class of frames C** , in symbols $\Gamma \models_C \phi$ if for every model $\mathcal{M} = \langle \mathcal{F}, \mathcal{I} \rangle$ with $\mathcal{F} \in C$ and every point $w \in W$,

$$\mathcal{M}, w \models \Gamma \text{ implies that } \mathcal{M}, w \models \phi$$

Hilbert axioms for normal modal logic

A1	$\phi \supset (\psi \supset \phi)$
A2	$(\phi \supset (\psi \supset \theta)) \supset ((\phi \supset \psi) \supset (\phi \supset \theta))$
A3	$(\neg\psi \supset \neg\phi) \supset ((\neg\psi \supset \phi) \supset \phi)$
MP	$\frac{\phi \quad \phi \supset \psi}{\psi}$
K	$\Box(\phi \supset \psi) \supset (\Box\phi \supset \Box\psi)$
Nec	$\frac{\phi}{\Box\phi}$ the necessitation rule

The above set of axioms and rules is called **K**, and every modal logic with a validity relation closed under the rules of **K** is a **Normal Modal Logic**.

Remark on Nec

Notice that **Nec** rule is not the same as

$$\phi \supset \Box\phi \quad (3)$$

indeed formula (3) is not valid.

Assignment Find a model in which (3) is false

Exercise

Show that each of the following formulas is not valid by constructing a frame $\mathcal{F} = (W, R)$ that contains a world that does not satisfy them.

1 $\Box \perp$

2 $\Diamond \phi \supset \Box \phi$

3 $\Diamond \Box \phi \supset \Box \Diamond \phi$

Multi-Modal Logics

All the definitions given for basic modal logic can be generalized in the case in which we have n \Box -operators \Box_1, \dots, \Box_n (and also $\Diamond_1, \dots, \Diamond_n$), which are interpreted in the frame

$$\mathcal{F} = (W, R_1, \dots, R_n)$$

Every \Box_i and \Diamond_i is interpreted w.r.t. the relation R_i .

A logic with n modal operators is called **Multi-Modal**.

Multi-Modal logics are often used to model Multi-Agent systems where modality \Box_i is used to express the fact that “agent i knows (believes) that ϕ ”.

Exercise

Let $\mathcal{F} = (W, R_1, \dots, R_n)$ be a frame for the modal language with n modal operator \Box_1, \dots, \Box_n . Show that the following properties holds:

- 1 $\mathcal{F} \models \mathbf{K}_i$ (where \mathbf{K}_i is obtained by replacing \Box with \Box_i in the axiom \mathbf{K})
- 2 If $R_i \subseteq R_j$ then $\mathcal{F} \models \Diamond_i \phi \supset \Diamond_j \phi$
- 3 If $R_i \subseteq R_j$ then $\mathcal{F} \models \Box_j \phi \supset \Box_i \phi$
- 4 $\mathcal{F} \not\models \Box_i p \supset \Box_j p$ for any primitive proposition p
- 5 If $R_i \subseteq R_j \circ R_k$, then^a $\mathcal{F} \models \Diamond_i \phi \supset \Diamond_j \Diamond_k \phi$

^aGiven two binary relations R and S on the set W ,
 $R \circ S = \{(v, u) | (v, w) \in R \text{ and } (w, u) \in S\}$

Exercise

Prove that the following formulae are valid:

- $\models \Box(\phi \wedge \psi) \equiv \Box\phi \wedge \Box\psi$
- $\models \Diamond(\phi \vee \psi) \equiv \Diamond\phi \vee \Diamond\psi$
- $\models \neg\Diamond\phi \equiv \Box\neg\phi$
- $\neg\Box\Diamond\Box\Box\Diamond\Box\phi \equiv \Diamond\Box\Box\Diamond\Diamond\Box\Diamond\neg\phi$ (i.e., pushing in \neg changes \Box into \Diamond and \Diamond into \Box)

Suggestion: keep in mind the analogy \Box/\forall and \Diamond/\exists .

Exercise

Consider the frame $\mathcal{F} = (W, R)$ with

- $W = \{0, 1, \dots, n-1\}$
- $R = \{(0, 1), (1, 2), \dots, (n-1, 0)\}$

Show that the following formulas are valid in \mathcal{F}

- 1 $\Box\phi \equiv \Diamond\phi$
- 2 $\phi \equiv \underbrace{\Box \dots \Box}_n \phi$

Answer also the following questions:

- 3 can you explain which property of the frame R is formalized by formula 1 and 2?
- 4 Can you imagine another frame \mathcal{F}' , different from \mathcal{F} that satisfies formulas 1 and 2?

Expressing properties on structures

formula true at w	property of w
$\diamond T$	w has a successor point
$\diamond\diamond T$	w has a successor point with a successor point
$\underbrace{\diamond \dots \diamond}_n T$	there is a path of length n starting at w
$\square \perp$	w does not have any successor point
$\square\square \perp$	every successor of w does not have a successor point
$\underbrace{\square \dots \square}_n \perp$	every path starting from w has length less than n

Expressing properties on structures

formula true at w	property of w
$\diamond p$	w has a successor point which is p
$\diamond\diamond p$	w has a successor point with a successor point which is p
$\underbrace{\diamond \dots \diamond}_n p$	there is a path of length n starting at w and ending at a point which is p
$\square p$	every successor of w are p
$\square\square p$	all the successors of the successors of w are p
$\underbrace{\square \dots \square}_n p$	all the paths of length n starting from w ends in a point which is p